

XX/XX/XX
C170mona**SCHEDULE 18 TO CLAUSE 43.02 DESIGN AND DEVELOPMENT OVERLAY**

Shown on the planning scheme map as **DDO18**.

VICTORIAN HEART HOSPITAL EMERGENCY MEDICAL SERVICES HELICOPTER FLIGHT PATH PROTECTION (OUTER AREA)**1.0**XX/XX/XX
C170mona**Design objectives**

To ensure that the height of buildings and works do not encroach on the flight path areas associated with the Victorian Heart Hospital helicopter landing site.

To ensure that the height of development avoids creating a hazard to aircraft using the Victorian Heart Hospital helicopter landing site.


2.0XX/XX/XX
C170mona**Buildings and works**

A permit is not required to construct a building or to construct or carry out works that would result in the height of the building or works (including construction works) being less than 138.2 metres above the Australian Height Datum (AHD).

A permit is not required to construct or carry out buildings and works in relation to an existing dwelling that exceeds 138.2 metres above the AHD provided:

- The buildings and works do not exceed the existing height of the building (measured at the apex of the roofline), and
- The lot does not immediately adjoin the hospital land (the portion of Public Use Zone 2 occupied by the Victorian Heart Hospital, as shown in Figure 1).

Figure 1. Victorian Heart Hospital Site Boundary

**Referral of applications**

An application must be referred in accordance with Section 55 of the Act to the referral authority specified in Clause 66.04 or a schedule to that clause.

Application requirements

An application must include the following information (prepared by a suitably qualified person):

- The location and topography of the subject land in relation to the helicopter landing site.
- The location and height of the main features on the subject land, including existing buildings, structures, trees or any other tall features.
- The proposed buildings and works on the land including details of the maximum height of the proposed buildings, works and construction equipment measured relative to the height of the helipad (AHD).

Exemption from notice and appeal

An application is exempt from notice requirements of section 52(1) (a), (b) and (d), the decision requirements of section 64(1), (2) and (3) and the review rights of section 82(1) of the Act.

Note: The Victorian Heart Hospital helicopter landing site is at an elevation of 128.2 metres above the AHD.

3.0
XX/XX/XX
C170mona

Subdivision

A permit is not required to subdivide land.

4.0
XX/XX/XX
C170mona

Decision guidelines

Before deciding on an application, the responsible authority must consider:

- Whether the height and design of any proposed buildings or works (including construction works) will have an impact on the flight paths associated with the Victorian Heart Hospital helicopter landing site.
- The views of the Department of Health (Vic).